

INDUSTRIAL RANGE

A complete industrial cleaning solution at affordable prices, all under one roof.

These brands have been tried and trusted by over 40,000 customers in the past 20 years.





1. Water-based & solvent degreasers
2. Hand cleaners
3. Anti-freeze & Coolants







PRODUCT	DESCRIPTION	BARCODE	PRODUCT CODE	PACK SIZE
BIO-D EXTRA 	<p>Biodegradable Medium Duty Water Based Degreaser An Alkaline water based degreaser which does not contain caustic soda, solvents and any harmful additives. It can be used in workshops and laundries. It can also be applied through high pressure cleaner or foaming equipment. It will not cause damage to rubber seals and should be diluted in most applications. When diluted it can be used on painted surfaces. It is bio-degradable, nontoxic environmentally friendly degreaser.</p>	6009707312236 6009707312243 0781159895197 6009707312250 6009685011602 6009707312229 6009685011176	BIODRE0001 BIO12001.1 BIODRX0001PD BIODRX120001PD BIOES005G BIODRX40005 BIODRX0025	1 LT 12 X 1 LT 1 LT Spray-PD 12 X 1LT Spray PD 5 LT 4 x 5 LT 25 LT
BIO-D RAW 	<p>Biodegradable Heavy Duty Water Based Degreaser An Alkaline water based degreaser which does not contain caustic soda, solvents and any harmful additives. It can be used in many heavy duty applications like workshops and laundries. It can also be applied through high pressure cleaner or foaming. It will not cause damage to rubber seals and should be diluted in most applications. When diluted it can be used on painted surfaces. It is bio-degradable, nontoxic environmentally friendly degreaser.</p>	6009707312816 0781159897276 0781159895203 6009707312823 6009685010544 6009707312809 6009685010537	BIODRX0001 BIOR12001.1 BIODRXS0001PD BIODRX120001PD BIODRX0005 BIODRX40005 BIODRX0025	1 LT 12 x 1 LT 1 LT Spray-PD 12 x 1 LT Spray-PD 5 LT 4 x 5LT 25 LT
MAXIFORCE 	<p>High Alkaline General-Purpose Degreaser For hard grime. High alkaline water-based GP degreaser/cleaner for cleaning grime, oil, workshop floors, car engines and soiled tools. Can be used on painted surfaces. Lubricate for zero corrosion after rinsing any metal objects. Spray or brush on, leave to dwell and rinse off.</p>	0781159895753 0781159897283 0781159895241 6009707313042 6009707319266 0781159896392 6009707319273	MAX0001 MAX12001 MAXS0001PD MAXS120001PD MAX005 MAX40005 MAX0025	1 LT 12 x 1LT 1 LT Spray-PD 12 x 1LT Spray-PD 5LT 4 x 5LT 25LT
GREASOLVE 	<p>General Purpose Degreaser, Econo Alkaline water-based degreaser, it does not contain caustic soda or any harmful additives. This detergent can be used in many applications like kitchens, workshops and laundries. It can be applied through high-pressure cleaner or foaming equipment. It will not cause damage to rubber seals, it should be diluted in most applications. When diluted it can be used on painted surfaces.</p>	6009707312793 6009707312762 0781159895210 0781159897290 6009685010346 6009707312731 6009685012180	GRSX0001 GRSX12001 GRSXS0001PD GRSX120001PD GRSX0005 GRSX40005 GRSV0025	1 LT 12 x 1 LT 1 LT Spray-PD 12 x 1 LT Spray-PD 5 LT 4 x 5 LT 25 LT




PRODUCT	DESCRIPTION	BARCODE	PRODUCT CODE	PACK SIZE
PSD 500 	Solvent Based Heavy Duty Degreaser A clear solvent-based degreaser used for heavy grease and oil cleaning applications. It contains various surfactants to allow deeper penetration into heavily soiled applications. It has a blend of solvents to dissolve stubborn oil, light and medium duty tar and grease from most surfaces. It is suitable for cleaning engine parts, chains, bearings, engines and is best if used in dip tank applications. All finished cleaning applications should be rinsed with water and left for a few minutes to dry. If cleaned and dried properly, there will be no oily residue left on any metal parts.	6009707319693 6009707319709 6009707312533 6009707312557 6009707312502 6009707312519 6009707312564	PSD50500 PSD50500X24 PSD50001 PSD50012001 PSD50005 PSD540005 PSD50025	500 ML 24 x 500 ML 1 LT 12 x 1 LT 5 LT 4 x 5 LT 25 LT
PSD 1000 	Heavy Duty Solvent Based Degreaser – Citrus Smell A green solvent based heavy duty degreaser used for heavy grease and oil cleaning applications. It contains various surfactants to allow deeper penetration into heavily soiled applications. Suitable for cleaning engine parts, chains, bearings, engines and is best if used in dip tank applications. Has an optimum level of wetting agents to enable it to penetrate porous surfaces and be effective, yet still rinse off easily. Contains citrus additives, which provide low fumes and makes it much more friendly to work with. All finished cleaning applications should be rinsed with water and left to dry for few minutes. If cleaned and dried properly, there will be no oily residue left on any metal parts.	6009707312588 6009707312601 6009685011138 6009707312939 6009685011145	PSD0001 PSD12001 PSD0005 PSD40005 PSD0025	1 LT 12 x 1 LT 5LT 4 x 5 LT 25 LT
PAD 500 	Acid-Based Cleaning Agent PAD-500 is a powerful acidic cleaning agent and descaler for porous surfaces. It contains an effective blend of acids that can be used for the following applications: cleaning bricks, dry cement, grouting, concrete floors, concrete residues from steelwork, and cleaning cement-making equipment. Can also be used for cleaning ceramic toilet bowls, as a limescale remover and to deep clean showers and ablution blocks. For removing stains from ceramic tiles and other porous surfaces.	6009707312298 6009707312311 6009685010452 6009707312281 6009685010445	PAD5000001 PAD512001 PAD50005 PAD50040005 PAD5000025	1 LT 12 x 1 LT 5 LT 4 x 5 LT 25 LT
PAD 750 	Stainless Steel and Aluminium Cleaner PAD-750 is a powerful acidic cleaning agent for Stainless Steel and Aluminium. Specially formulated as a thin, clear solution to clean and brighten surfaces, leaving a high shine finish. It can be used on stainless steel tankers, engine blocks, fuel tanks, boilers and aluminium. Is also a powerful rust remover, which should be used in dip tank applications, undiluted. If not diluted properly, it can cause damage to metals and other surfaces.	6009707312342 0781159897306 0781159895227 6009707312373 6009685011435 6009707312335 6009685011459	PAD70001 PAD712001 PAD750S0001PD PAD7120001PD PAD70005 PAD75040005 PAD7500025	1 LT 12 x 1LT 1 LT Spray-PD 12 x 1LT Spray-PD 5 LT 4 x 5 LT 25 LT

PRODUCT	DESCRIPTION	BARCODE	PRODUCT CODE	PACK SIZE
P-RF 1000 	Heavy Duty Organic Acid-Based Radiator Flush P-RF 1000 is a heavy-duty organic acid based superior radiator flush used to clean and unblock cooling systems. This easy-to-use specialised chemical formulation can be used in all types of radiators, and is also safe on aluminium, welding joints, all types of metal, plastic hoses and seals. P-RF 1000 will dissolve limescale, rust, oxidation and all types of blockages that shouldn't be there and contains top quality additives to reduce rust and corrosion. Using P-RF 1000 will prolong radiator's life span up to twice as long and save you unnecessary down time or expense. All radiators should be flushed once a year or with every service if ordinary tap water has been used. This product has been made from natural organic acid and therefore it is not a harmful risk to the environment.	6009707312465 6009707312496 6009707312489 6009707312434 6009707312441	PRF0001 PRF12001 PRF0005 PRF40005 PRF0025	1 LT 12 x 1 LT 5 LT 4 x 5 LT 25 LT
FLEETWASH 	Exterior Truck Cleaner The Exterior Truck Cleaner is a highly concentrated alkaline water-based degreaser, it does not contain caustic soda or any harmful additives. It is a superior exterior truck wash shampoo, very concentrated and used for medium to heavy-duty washes. It has a built-in pine fragrance to ensure a pleasant, clean finish, as well as solvents and wetting and sequestering agents for optimum cleaning power. This product can also be applied through high-pressure cleaners or foaming equipment and will not cause damage to rubber seals. This product contains built-in rinse aid to allow easy streak-free finishing. This product should be diluted in most applications. When diluted, it can be also used on painted surfaces. Rinse well after application. Can be used on all metallic paints, exterior bodywork, interiors, seats, chassis, engines, trailers, etc.	6009707312717 6009707312700 0781159895234 0781159897313 6009685012043 6009707312694 6009685012067	FLX0001S FLX120001 FLXS0001PD FLXS120001PD FLX0005 FLX40005 FLX0025	1 LT 12 x 1 LT 1 LT Spray-PD 12 x 1 LT Spray-PD 5 LT 4 x 5 LT 25 LT
INDUSTRIAL CARGLO 	Concentrated Neutral Car Shampoo with Wax Car Glo is a highly concentrated detergent — a superior car shampoo with high quality wax finish. It is perfect for all types of vehicles that enjoy high shine finish. Car Glo also contains sufficient surfactants to make all types of cleaning very easy. As a concentrate, Car Glo is also very cost effective. It contains water softeners, and therefore it can be used in hard and soft water applications.	0781159897191 0781159897405 0781159897160 0781159897412 0781159897429	CARGIND0001 CARGIND120001 CARGIND0005 CARGIND40005 CARGIND0025	1 LT 12 x 1 LT 5 LT 4 x 5 LT 25 LT
NEUTRICAB 	Concentrated Water Based Car Shampoo Neutricab is a neutral water based car shampoo which does not contain caustic soda or any harmful additives. Neutricab is a superior car wash shampoo, highly concentrated and used for light to medium duty washes. This product can also be applied through a high pressure cleaner or foaming equipment. This product contains a built-in rinse aid for an easy streak-free finish. Neutricab will not cause damage to rubber seals and should be diluted in most applications. When diluted, it can be also used on painted surfaces. Neutricab can be used on all metallic paints, outside body work, interiors and seats.	0781159896835 0658325260380 0781159896859 0658325260397 0781159896866	NEUIND0001FT NEUIND12001FT NEUIND0005 NEUIND40005 NEUIND0025	1 LT 12 x 1 LT 5 LT 4 x 5 LT 25 LT

PRODUCT	DESCRIPTION	BARCODE	PRODUCT CODE	PACK SIZE
DASH GLO 	Black Interior Restorer Dash Glo is a water based acrylic coating used as a high shine for all black car interior finishings. It should not be used on leather, windows or car seats. Dash Glo can be applied on all plastic and rubber finishing. Dash Glo contains a citrus fragrance, leaving a long lasting fresh smell in the car. Dash Glo neutralises cigarette and other odours in the car. Dash Glo can also be used on tyres to give a matt black original finish.	0781159896873 0658325260403 0781159896897 0658325260410 0781159896903 0658325260427 0658325260434	DGLOIND250M DGLOIND24x250M DGLOIND0001FT DGLOIND12001FT DGLOIND0005 DGLOIND40005 DGLOIND0025	250 ML Mister 24 x 250 ML 1 LT 12 x 1LT 5 LT 4 x 5 LT 25 LT
TYRE DRESS 	Tyre & Bumper Finish Restorer Tyre Dress is a medium duty acrylic coating used for applying to vehicle tyres. Tyre Dress is low shine product, which restores tyres and exterior black finishing to an original black colour. Tyre Dress has excellent wear resistance and is very easy to apply. Tyre Dress can be applied to all plastic black finishes on the vehicle; cars, buses, trucks, forklifts or other industrial machinery. Tyre Dress is a quick drying product which reduces the adherence of dust.	0781159896910 0658325260441 0781159896927 0658325260458 0781159896941 0658325260465 0658325260472	TYREDIND250M TYREDIND24x250M TYREDIND0001FT TYREDIND12001FT TYREDIND0005 TYREDIND40005 TYREDIND0025	250 ML Mister 24 x 250ML 1 LT 12 x 1LT 5 LT 4 x 5 LT 25 LT
TAR REMOVER 	Heavy Duty Solvent Cleaner Tar Remover is a highly efficient ready-to-use heavy duty solvent cleaner recommended for use on tools, vehicles, equipment, and many other surfaces to remove tar, asphalt and adhesives. Tar Remover will emulsify oils and tars making them easy to rinse away. It is easy to apply and water rinsable. Tar Remover will not damage most masonry or concrete.	0781159897139 0658325260526 0781159897146 0658325260533 0781159897153 0658325260540 0658325260557	TARIND0250 TARIND24x250 TARIND0001 TARIND12001 TARIND0005 TARIND40005 TARIND0025	250 ML 24 x 250 ML 1 LT 12 x 1LT 5 LT 4 x 5 LT 25LT
SILICONE OP2 	High Shine Finish Silicone OP2 is a solvent-based coating used as a high shine for all black car interior finishing's. It should not be used on leather, windows or car seats. Silicone OP2 can be used on the tyres, dash, outside and inside plastic and rubber trim and finishing's, it leaves a high shine finish.	0781159896958 0658325260489 0781159896965 0658325260496 0781159896972 0658325260502 0658325260519	SOP2IND250M SOP2IND12x250M SOP2IND0001 SOP2IND12001 SOP2IND0005 SOP2IND40005 SOP2IND0025	250 ML Mister 24 x 250 ML 1 LT 12 x 1LT 5 LT 4 x 5 LT 25 LT

PRODUCT	DESCRIPTION	BARCODE	PRODUCT CODE	PACK SIZE
P-AF 100 CONCENTRATE 	Concentrate Antifreeze & Coolant 96% P-AF 100 Concentrate Antifreeze and Coolant features Organic Acid Technology that guarantees lifetime protection for as long as you own your vehicle. The inhibitors will provide maximum protection against damaging rust and corrosion in all automobiles, mechanical equipment and all trucks worldwide, regardless of make, model or original antifreeze colour. P-AF 100 Concentrate Antifreeze and Coolant is efficient, provided that a complete cooling system flush and fill is performed and specified maintenance allowed. This product is formulated to be used in all heavy duty equipment, machinery, all makes of automobiles trucks and buses. This product also features an advanced Phosphate-free and Silicate-free advanced formulation.	6009707312663 6009707312670 6009685020079 6009707312649 6009685020086	PAF0001 PAF12X1LT PAF0005 PAF40005 PAF0020	1 LT 12 x 1 LT 5 LT 4 x 5 LT 20 LT
P-AF 100 READY TO USE 50/50 	Pre-diluted Antifreeze & Coolant 50% Drain and flush the cooling system with clean water or radiator flush, make sure that there are no leaking hoses and that the drain valve is closed. This P-AF 100 is already diluted 50/50. Fill up the radiator straight from the bottle.	6009707312663 6009707312670 6009685020079 6009707312649 6009685020086	PAF500001 PAF512X1L PAF50005 PAF5040005 PAF50020	1 LT 12 x 1 LT 5 LT 4 x 5 LT 20 LT
P-AF 100 MULTIPURPOSE 	P-AF 100 Multipurpose Antifreeze and Coolant P-AF 100 Multipurpose Antifreeze and Coolant features Organic Acid Technology that guarantees lifetime protection for as long as you own your vehicle. The inhibitors will provide maximum protection against damaging rust and corrosion in all automobiles, mechanical equipment, and all trucks worldwide, regardless of make, model or original antifreeze Colour. P-AF 100 Multipurpose Antifreeze and Coolant is efficient, provided that a complete cooling system flush and fill is performed, and specified maintenance allowed. This product is formulated to be used in all heavy-duty equipment, machinery, all makes of automobile's trucks and buses. This product also features an advanced Phosphate-free and Silicate-free advanced formulation.	6009707312397 6009707312410 6009685016742 6009707312427 6009707312380	PAF0001 PAFMP12X1LT PAFMP0005 PAFMP40005 PAFMP0020	1 LT 12 x 1 LT 5 LT 4 x 5 LT 20 LT
MAXCOOL 	Automotive Antifreeze/Coolant Red OAT, 50/50 Ready to Use, High Performance Automotive Coolant, European Technology, Free of Silicates, Amines, Nitrites & Nitrates. Meets ASTM D 3306, ASTM D 4985, BS 6580 Meets following OEM Specifications: Porsche/VW/Audi/Seat/Skoda TL 774 D (2), Mercedes MB325.3, Ford ESE M97B49-A, CUMMINS 85T8-2(1), Man N. Man 248 & 324, Wartsilia 32-9011(C.W.), Pegaso GM US 6277 M, Renault 41-01-001, Ford WSS-M97B44-D, Chrysler MS 9176, Cummins 90T8-4, Mack 014GS17004, Man B&W D 36 5600, GM 1899 M(1), Navistar B-1 Type III, VOLVO (Reg N 260), Ford ESD M97 B49-A, OPEL GM QL 130100, Leyland Trucks LTS 22 AF 10, John Deere H 24 B1 & C1, Deutz/MWN 0199-2091 2 Auflage (C.W)	6009707317248 0781159897320 600970 7319587 0781159896415 0781159896842	MAXC0001 MAXC12X0001 MAXC0005 MAXC40005 MAXC0020	1 LT 12 x 1 LT 5 LT 4 x 5 LT 20 LT

PRODUCT	DESCRIPTION	BARCODE	PRODUCT CODE	PACK SIZE
KOOL-TEK HD-OAT Organic Acid Technology 	Heavy Duty Antifreeze/Coolant Red OAT, 50/50 Ready to Use, High Performance Automotive Coolant, European Technology, Free of Silicates, Amines, Nitrites & Nitrates. Meets ASTM D 3306 & ASTM D 4985, BS 6580 Meets following OEM Specifications: Porsche/VW/Audi/Seat/Skoda TL 774 D (2), Mercedes MB325.3, Ford ESE M97B49-A, CUMMINS 85T8-2(1), Man N. Man 248 & 324, Wartsilia 32-9011(C.W.), Pegaso GM US 6277 M, Renault 41-01-001, Ford WSS-M97B44-D, Chrysler MS 9176, Cummins 90T8-4, Mack 014GS17004, Man B&W D 36 5600, GM 1899 M(1), Navistar B-1 Type III, VOLVO (Reg N 260), Ford ESD M97 B49-A, OPEL GM QL 130100, Leyland Trucks LTS 22 AF 10, John Deere H 24 B1 & C1, Deutz/MWN 0199-2091 2 Auflage (C.W)	0658325260267 0658325260274 0658325259940 0658325260250 0781159899997 0781159897184 	KTHDOAT0001 KTHDOAT12001 KTHDOAT0005 KTHDOAT40005 KTHDOAT0020 KTHDOAT0208	1 LT 12 x 1 LT 5 LT 4 x 5 LT 20 LT 208 LT
KOOL-TEK HD-NOAT Nitrite-Organic Acid Technology 	Industrial Heavy Duty Antifreeze/Coolant Red OAT/NITRITE, 50/50 Ready to Use, High Performance Industrial Coolant, European Technology, Free of Borates Silicates, Amines, Phosphates & Nitrates. Meets ASTM D 6210 & ASTM D 4985, BS 6580 Meets following OEM Specifications: CAT EC-1, Navistar B1 Type III, Cummins CES 14603, John Deere HD24, MAN 324, Mercedes DBL 324, Detroit Diesel/SE298, Land Rover C.S., GM 1825/1899 H.T., Volvo/Saab/Scania 6901, Kenworth R 026-170-97, Mack 14GS7009, Freightliner 48-22880, New Holland WSN-M97B18-D, Paccar C.S., Peterbilt 8502.002, IVECO 18-1830	0658325260236 0658325260243 0658325259971 0658325260229 0781159897207 0781159897177 	KTHDNOAT0001 KTHDNOAT12001 KTHDNOAT0005 KTHDNOAT40005 KTHDNOAT0020 KTHDNOAT0208	1 LT 12 x 1 LT 5 LT 4 x 5 LT 20 LT 208 LT Bulk Forecast Only
KOOL-TEK HD-Si-PRO Si-OAT - Hybrid 	Industrial Heavy Duty Antifreeze/Coolant 50/50 Ready to Use, High Performance Industrial Coolant, German OAT Technology containing Silicates, Free of Borates, Nitrites, Amines, Phosphates. Meets ASTM D 3306 & ASTM D 4985, BS 6580, AS 2108-2004, SAE J1034, ONORM V 5123, CUNA NC 956, JIS K 2234:2006, SANS1251:2005, CHINA GP 29743-2013 Meets OEM Specification for CAT EC1 Technology officially approved by Following OEMs: VW/Audi/Seat/Skoda, TL 774-G, Lamborghini/Bentley/-Bugatti/Porsche, Daimler/Mercedes-Benz MB-Approved 325.5 & 325, Man 324 Type Si-OAT, Cummins CES 14603, MTU MTL 5048, Liebherr Minimum LH-01-COL3A, DEUTZ DQC CC-14 IRIZAR, S. COOP from Sep 2016, Meets Specification for OEM CAT EC1	0658325260298 0658325260304 0658325259957 0658325260281 0658325259872 0658325259865 	KTHDSIPRO0001 KTHDSIPRO12001 KTHDSIPRO0005 KTHDSIPRO40005 KTHDSIPRO0020 KTHDSIPRO0208	1 LT 12 x 1 LT 5 LT 4 x 5 LT 20 LT 208 LT Bulk Forecast Only
KOOL-TEK HD-N PRO Nitrite-Organic Acid Technology 	Industrial Heavy-Duty Automotive Antifreeze/Coolant 50/50 Ready to Use, German OAT technology containing Nitrites, Borates and Silicates, free of amines and phosphates. Technology officially approved by Following OEMs: Chrysler MS-9769, Daimler/Mercedes-Benz MB-Approved 325.0, MTU WTL 5048, John Deere JDM H 24, Ford WSS-M97B51-A1, Cummins CES 14603	0658325260328 0658325260335 0658325259964 0658325260311 0658325259896 0658325259889 	KTHDSNPRO0001 KTHDSNPRO12001 KTHDSNPRO0005 KTHDSNPRO40005 KTHDSNPRO0020 KTHDNPRO0208	1 LT 12 x 1 LT 5 LT 4 x 5 LT 20 LT 208 LT Bulk Forecast Only

PRODUCT	DESCRIPTION	BARCODE	PRODUCT CODE	PACK SIZE
HANDPASTE BIO ALMOND 	Hand Cleaner with Silica Grit and Almond Fragrance This hand cleaner is heavy-duty, waterless, and contains grit, a pleasant almond fragrance and lanolin skin conditioner. It contains powerful surfactants and silica grit to make this product a high-performance hand cleaner. This economical paste is suitable for use in the most challenging everyday cleaning applications. It dissolves grease, oils and most types of ink. It does not contain paraffin or other harsh solvents and chemicals. This product is recommended for use in engineering workshops, mining industry, automotive industry and also household use.	6009707318689 0781159895364 6009685012258 6009707313011 6009685012272	HANROCK0700 HANPB0001 HANPB0005 HPBX40005 HPBX0025	500 Gram 1 KG 5 KG 4 x 5 KG 25 KG
HAND CLEANER ORANGE 	Citrus Hand Cleaner with Polymer Beads High-quality gel formula hand cleaner with Orange Oil and Polymer Beads to ensure that the product is ecological as well as a top-performing hand cleaner. It contains polymer beads to ensure that there is no blockage in the drain system. The natural oils dissolve stubborn grease, oils and most types of ink. It contains skin moisturisers to stop skin drying out after use. This product is recommended for use in engineering workshops, mining industry, automotive industry and also household use.	6009707312977 6009707312946 6009707312953 6009707312960	HCO00.5 HCO005 HCO40005 HCG00025	500 Gram 5 KG 4 x 5 KG 25 KG
HAND CLEANER LEMON 	Hand Cleaner with Grit and Lemon Fragrance Cleans and removes heavy soiling of grease, oil, ink and graphite, leaving behind a pleasant lemon fragrance. Contains skin moisturisers to prevent skin from drying out. Is a biodegradable & environmentally friendly product with natural substances. Does not contain solvents, silicon or alkali.	6009707319372 6009707319365 6009707312922	HCL0500 HCL003.4 HCL6003.4	500 ML 3.4 LT 6 x 3.4 LT

Unit 22B
 78 Craig Road
 Anderbolt
 Boksburg
 Johannesburg
 t: +27 (0) 11 918 2955
 f: +27 (0) 11 918 2956
 e: sales@sapolicem.co.za
 e: sales3@sapolicem.co.za

www.sapolicem.co.za