



**PLASTIC  
PACKAGING**  
(PTY) LTD  
WE MANUFACTURE.  
WE RECYCLE.



# INDUSTRIAL RANGE

Professional Chemical Solutions for Industrial Performance

SA Polichem manufactures and supplies high-performance chemical solutions designed to support demanding industrial environments. Our products are formulated for reliability, efficiency, and consistent results across a wide range of industries.

SA  OFFICIAL DISTRIBUTOR FOR  
**POLICHEM**  
KHOMAS, WINDHOEK



## Industrial Cleaning & Maintenance Solutions You Can Rely On

The SA Polichem Industrial Range is designed for demanding environments where performance, safety, and consistency are critical. From workshops and manufacturing plants to transport fleets and maintenance facilities, our products are formulated to deliver reliable results while helping maintain operational efficiency.

Built for real-world conditions, the range includes powerful degreasers, antifreeze solutions, radiator treatments, vehicle care products, and specialist hand cleaners. Each product is developed to break down grease, remove heavy contamination, and support equipment longevity.

With practical application in mind, SA Polichem Industrial products provide effective cleaning, maintenance, and protection solutions trusted across multiple industries.



SA Polichem operates under an ISO 9001:2015 certified Quality Management System, ensuring strict quality control, consistent manufacturing standards, and reliable product performance.

## Contents



Antifreeze & Coolants

4

Degreasers

12

Hand Cleaners

18

Powder Detergents

22

Vehicle & Truck Care

26

Why Choose SA Polichem

32

Industries We Serve

33

Contact Us

34

# Anti-freeze & Coolant



## Engine Protection for Demanding Conditions

SA Polichem's Antifreeze & Coolants are formulated to protect engines and cooling systems against overheating, freezing, and corrosion. Suitable for a wide range of industrial and automotive applications, these products help maintain optimal engine performance while extending the life of critical components.

Designed for reliability in both high-temperature and cold conditions, this range supports consistent engine operation in workshops, transport fleets, and industrial machinery.



**ASK TO VIEW OUR ANTIFREEZE COMPARISON POSTER**



# Anti-Freeze & Coolants

Product Name	Description	Pack Size	Product Code
--------------	-------------	-----------	--------------



## P-AF 100/Y RTU 50/50 -YELLOW

**Long-Life Confidence for Every Drive**  
**Best suited for:** Passenger vehicles, light- and medium-duty fleets. SA POLICHEM P-AF100 READY TO USE with advanced European additives, P-AF 100 provides long-term protection and cooling for petrol, diesel, GLP, and GNV engines. Its Organic Acid Technology (OAT) shields against corrosion and rust in any climate.

**Ready to Use. Do not dilute with water.**

### BENEFITS:

- Long-life protection – up to 250,000 km or 5 years.
- Ideal for light and medium-duty vehicles.
- High heat transfer ensures stable cooling.
- Compatible with other OAT coolants.
- Free of silicates, amines, phosphates, nitrites & borates.
- Available in various colours and sizes (1 L – Bulk).

1 L	PAF100Y-RTU0001
12 x 1 L	PAF100Y-RTU1201
5 L	PAF100Y-RTU0005
4 x 5 L	PAF100Y-RTU4005
20 L	PAF100Y-RTU0020
208 L	PAF100Y-RTU0208
1000 L	PAF100Y-RTU1000



## P-AF 100/R RTU 50/50 -RED

**Long-Life Confidence for Every Drive**  
**Best suited for:** Passenger vehicles, light- and medium-duty fleets. SA POLICHEM P-AF100 READY TO USE with advanced European additives, P-AF 100 provides long-term protection and cooling for petrol, diesel, GLP, and GNV engines. Its Organic Acid Technology (OAT) shields against corrosion and rust in any climate.

**Ready to Use. Do not dilute with water.**

### BENEFITS:

- Long-life protection – up to 250,000 km or 5 years.
- Ideal for light and medium-duty vehicles.
- High heat transfer ensures stable cooling.
- Compatible with other OAT coolants.
- Free of silicates, amines, phosphates, nitrites & borates.
- Available in various colours and sizes (1 L – Bulk).

1 L	PAF100R-RTU0001
12 x 1 L	PAF100R-RTU1201
5 L	PAF100R-RTU0005
4 x 5 L	PAF100R-RTU4005
20 L	PAF100R-RTU0020
208 L	PAF100R-RTU0208
1000 L	PAF100R-RTU1000



## P-AF 100/P RTU 50/50 -PINK

**Long-Life Confidence for Every Drive**  
**Best suited for:** Passenger vehicles, light- and medium-duty fleets. SA POLICHEM P-AF100 READY TO USE with advanced European additives, P-AF 100 provides long-term protection and cooling for petrol, diesel, GLP, and GNV engines. Its Organic Acid Technology (OAT) shields against corrosion and rust in any climate.

**Ready to Use. Do not dilute with water.**

### BENEFITS:

- Long-life protection – up to 250,000 km or 5 years.
- Ideal for light and medium-duty vehicles.
- High heat transfer ensures stable cooling.
- Compatible with other OAT coolants.
- Free of silicates, amines, phosphates, nitrites & borates.
- Available in various colours and sizes (1 L – Bulk).

1 L	PAF100P-RTU0001
12 x 1 L	PAF100P-RTU1201
5 L	PAF100P-RTU0005
4 x 5 L	PAF100P-RTU4005
20 L	PAF100P-RTU0020
208 L	PAF100P-RTU0208
1000 L	PAF100P-RTU1000

### Exceeds Following International Quality Standards:

#### ALL P-AF 100 RTU & CONCENTRATE

- ASTM D3306
- ASTM D4656
- ASTM D4985
- BS 6580
- AFNOR NF R15-601
- AS 2108
- CUNA NC 956-16
- FV HEFT R443
- SAE J 1034
- UNE 26361-88

### MAINTENANCE TIP

Always maintain the correct antifreeze-to-water ratio to ensure proper cooling performance and corrosion protection within the engine system.

# Anti-Freeze & Coolants

Product Name	Description	Pack Size	Product Code
--------------	-------------	-----------	--------------



## P-AF 100/Y CONCENTRATE -YELLOW

**Long-Life Confidence for Every Drive**  
**Best suited for:** Passenger vehicles, light- and medium-duty fleets. SA POLICHEM P-AF100 CONCENTRATE with advanced European additives, P-AF 100 provides long-term protection and cooling for petrol, diesel, GLP, and GNV engines. Its Organic Acid Technology (OAT) shields against corrosion and rust in any climate.

**Dilute with deionised water before use.**

### BENEFITS:

- Long-life protection – up to 250,000 km or 5 years.
- Ideal for light and medium-duty vehicles.
- High heat transfer ensures stable cooling.
- Compatible with other OAT coolants.
- Free of silicates, amines, phosphates, nitrites & borates.
- Available in various colours and sizes (1 L – Bulk).

1 L	PAF100Y-CON0001
12 x 1 L	PAF100Y-CON1201
5 L	PAF100Y-CON0005
4 x 5 L	PAF100Y-CON4005
20 L	PAF100Y-CON0020
208 L	PAF100Y-CON0208
1000 L	PAF100Y-CON1000



## P-AF 100/R CONCENTRATE -RED

**Long-Life Confidence for Every Drive**  
**Best suited for:** Passenger vehicles, light- and medium-duty fleets. SA POLICHEM P-AF100 CONCENTRATE with advanced European additives, P-AF 100 provides long-term protection and cooling for petrol, diesel, GLP, and GNV engines. Its Organic Acid Technology (OAT) shields against corrosion and rust in any climate.

**Dilute with deionised water before use.**

### BENEFITS:

- Long-life protection – up to 250,000 km or 5 years.
- Ideal for light and medium-duty vehicles.
- High heat transfer ensures stable cooling.
- Compatible with other OAT coolants.
- Free of silicates, amines, phosphates, nitrites & borates.
- Available in various colours and sizes (1 L – Bulk).

1 L	PAF100R-CON0001
12 x 1 L	PAF100R-CON1201
5 L	PAF100R-CON0005
4 x 5 L	PAF100R-CON4005
20 L	PAF100R-CON0020
208 L	PAF100R-CON0208
1000 L	PAF100R-CON1000



## P-AF 100/P CONCENTRATE -PINK

**Long-Life Confidence for Every Drive**  
**Best suited for:** Passenger vehicles, light- and medium-duty fleets. SA POLICHEM P-AF100 CONCENTRATE with advanced European additives, P-AF 100 provides long-term protection and cooling for petrol, diesel, GLP, and GNV engines. Its Organic Acid Technology (OAT) shields against corrosion and rust in any climate.

**Dilute with deionised water before use.**

### BENEFITS:

- Long-life protection – up to 250,000 km or 5 years.
- Ideal for light and medium-duty vehicles.
- High heat transfer ensures stable cooling.
- Compatible with other OAT coolants.
- Free of silicates, amines, phosphates, nitrites & borates.
- Available in various colours and sizes (1 L – Bulk).

1 L	PAF100P-CON0001
12 x 1 L	PAF100P-CON1201
5 L	PAF100P-CON0005
4 x 5 L	PAF100P-CON4005
20 L	PAF100P-CON0020
208 L	PAF100P-CON0208
1000 L	PAF100P-CON1000

### Meets and exceeds following OEM Specifications

#### ALL P-AF 100 RTU & CONCENTRATE

- DAF 74002
- Ford WSS-M97B44-D
- General Motors GM6277M
- MAN 324 SNF
- Mercedes Benz MB325.3
- Renault Trucks
- SEAT TL 774 D & F
- Skoda TL 774 D & F
- Volkswagen VAG TL 774 D & F
- Volvo VCS

### DID YOU KNOW?

Antifreeze not only prevents freezing but also raises the boiling point of coolant, helping engines operate more efficiently in high temperatures.

# Anti-Freeze & Coolants

Product Name	Description	Pack Size	Product Code
--------------	-------------	-----------	--------------



## P-AF 100/Y MULTIPURPOSE -YELLOW

**Long-Life Confidence for Every Drive**  
**Best suited for:** Passenger vehicles, light- and medium-duty fleets. SA POLICHEM P-AF100 MULTI-PURPOSE with advanced European additives, P-AF 100 provides long-term protection and cooling for petrol, diesel, GLP, and GNV engines. Its Organic Acid Technology (OAT) shields against corrosion and rust in any climate.

**Ready to Use. Do not dilute with water.**

### BENEFITS:

- Can be used in all types of vehicles.
- Protects cooling system components up to 80,000 km or 3 years.
- Free of silicates, amines, phosphates, nitrites and borates.
- Ready-to-use premixed formula using premium deionised water.
- Organic Acid Technology.
- Anti-boil properties reduce damage from steam in the cooling system.
- Eliminates hard water scale.

1 L	PAF100Y-MP0001
12 x 1L	PAF100Y-MP1201
5 L	PAF100Y-MP0005
4 x 5 L	PAF100Y-MP4005
20 L	PAF100Y-MP0020
208 L	PAF100Y-MP0208
1000 L	PAF100Y-MP1000

### EXCEEDS FOLLOWING INTERNATIONAL QUALITY STANDARDS

- ASTM D3306
- ASTM D4656
- AFNOR NF R15-601
- CUNA NC 956-16
- SAE J 1034
- UNE 26361-88
- BS 6580
- AS 2108



## MAX COOL RTU 50/50

**Everyday Cooling, Everyday Value**  
**Best suited for:** Cars and light-duty engines. MAX COOL utilizes proven European technology to provide a ready-to-use, reliable coolant that ensures consistent temperature control and corrosion prevention—ideal for garages, workshops, and retail customers.

**Ready to Use. No mixing needed.**

### BENEFITS:

- Suitable for cars and small commercial vehicles.
- Long-life protection – up to 250,000 km or 5 years
- Balanced antifreeze / coolant performance.
- Shields against rust and scale.
- Effective year-round in changing climates.

1 L	MAXC0001
12 x 1 L	MAXC12X0001
5 L	MAXC0005
4 x 5 L	MAXC40005
20 L	MAXC0020
208 L	MAXC0208
1000 L	MAXC01000

### EXCEEDS FOLLOWING INTERNATIONAL QUALITY STANDARDS

- ASTM D3306
- ASTM D4656
- ASTM D4985
- BS 6580
- AFNOR NF R15-601
- AS 2108
- CUNA NC 956-16
- FVW HEFT R443
- SAE J 1034
- UNE 26361-88



## KOOL-TEK HD-OAT/P RTU 50/50 -PINK

**Extended-Life Power for Heavy-Duty Performance**  
**Best suited for:** Trucks, mining, agricultural & heavy-duty equipment. KOOL-TEK HD OAT READY TO USE with premium European additives, KOOL-TEK HD OAT provides durable protection in demanding conditions. Its heavy-duty Organic Acid Technology resists corrosion, liner pitting, and scale while keeping engines cool under load.

**Do not dilute with water. Premixed with premium deionised water.**

### BENEFITS:

- Service life up to 1,000,000 km or 12,000 hours.
- Designed for industrial, mining, and agricultural fleets.
- Prevents engine cavitation and liner pitting.
- Compatible with silicone seals & common gaskets.
- Free from silicates, amines, phosphates, nitrites & borates.

5 L	KTOATRTU-P0005
4 x 5 L	KTOATRTU-P4005
20 L	KTOATRTU-P0020
208 L	KTOATRTU-P0208
1000 L	KTOATRTU-P1000

### EXCEEDS FOLLOWING INTERNATIONAL QUALITY STANDARDS

- ASTM D3306
- ASTM D4656
- ASTM D4985
- BS 6580
- AFNOR NF R15-601
- AS 2108
- CUNA NC 956-16
- FVW HEFT R443
- SAE J 1034
- UNE 26361-88

### PRO TIP

Flushing the cooling system before adding new antifreeze helps remove sludge and contaminants that can reduce cooling efficiency.

# Anti-Freeze & Coolants

Product Name	Description	Pack Size	Product Code
--------------	-------------	-----------	--------------



## KOOL-TEK HD-OAT/B RTU 50/50 -BLUE

**Extended-Life Power for Heavy-Duty Performance**  
**Best suited for:** Trucks, mining, agricultural & heavy-duty equipment. KOOL-TEK HD OAT READY TO USE with premium European additives, KOOL-TEK HD OAT provides durable protection in demanding conditions. Its heavy-duty Organic Acid Technology resists corrosion, liner pitting, and scale while keeping engines cool under load.

**Do not dilute with water. Premixed with premium deionised water.**

### BENEFITS:

- Service life up to 1,000,000 km or 12,000 hours.
- Designed for industrial, mining, and agricultural fleets.
- Prevents engine cavitation and liner pitting.
- Compatible with silicone seals & common gaskets.
- Free from silicates, amines, phosphates, nitrites & borates.

5 L	KTOATRTU-B0005
4 x 5 L	KTOATRTU-B4005
20 L	KTOATRTU-B0020
208 L	KTOATRTU-B0208
1000 L	KTOATRTU-B1000

### EXCEEDS FOLLOWING INTERNATIONAL QUALITY STANDARDS

- ASTM D3306
- ASTM D4656
- ASTM D4985
- BS 6580
- AFNOR NF R15-601
- AS 2108
- CUNA NC 956-16
- FVW HEFT R443
- SAE J 1034
- UNE 26361-88



## KOOL-TEK HD-OAT/P CONCENTRATE -PINK

**Extended-Life Power for Heavy-Duty Performance**  
**Best suited for:** Trucks, mining, agricultural & heavy-duty equipment. KOOL-TEK HD OAT CONCENTRATE with premium European additives, KOOL-TEK HD OAT provides durable protection in demanding conditions. Its heavy-duty Organic Acid Technology resists corrosion, liner pitting, and scale while keeping engines cool under load.

**Dilute to the required ratio with deionised water.**

### BENEFITS:

- Service life up to 1,000,000 km or 12,000 hours.
- Designed for industrial, mining, and agricultural fleets
- Prevents engine cavitation and liner pitting.
- Compatible with silicone seals & common gaskets.
- Free from silicates, amines, phosphates, nitrites & borates.

5 L	KTOATCON-P0005
4 x 5 L	KTOATCON-P4005
20 L	KTOATCON-P0020
208 L	KTOATCON-P0208
1000 L	KTOATCON-P1000

### EXCEEDS FOLLOWING INTERNATIONAL QUALITY STANDARDS

- ASTM D3306
- ASTM D4656
- ASTM D4985
- BS 6580
- AFNOR NF R15-601
- AS 2108
- CUNA NC 956-16
- FVW HEFT R443
- SAE J 1034
- UNE 26361-88



## KOOL-TEK HD-OAT/B CONCENTRATE -BLUE

**Extended-Life Power for Heavy-Duty Performance**  
**Best suited for:** Trucks, mining, agricultural & heavy-duty equipment. KOOL-TEK HD OAT CONCENTRATE with premium European additives, KOOL-TEK HD OAT provides durable protection in demanding conditions. Its heavy-duty Organic Acid Technology resists corrosion, liner pitting, and scale while keeping engines cool under load.

**Dilute to the required ratio with deionised water.**

### BENEFITS:

- Service life up to 1,000,000 km or 12,000 hours.
- Designed for industrial, mining, and agricultural fleets
- Prevents engine cavitation and liner pitting.
- Compatible with silicone seals & common gaskets.
- Free from silicates, amines, phosphates, nitrites & borates.

5 L	KTOATCON-B0005
4 x 5 L	KTOATCON-B4005
20 L	KTOATCON-B0020
208 L	KTOATCON-B0208
1000 L	KTOATCON-B1000

### EXCEEDS FOLLOWING INTERNATIONAL QUALITY STANDARDS

- ASTM D3306
- ASTM D4656
- ASTM D4985
- BS 6580
- AFNOR NF R15-601
- AS 2108
- CUNA NC 956-16
- FVW HEFT R443
- SAE J 1034
- UNE 26361-88

### INDUSTRY INSIGHT

Using the correct coolant formulation helps protect aluminium radiators and other modern cooling system components from corrosion.

# Anti-Freeze & Coolants

Product Name	Description	Pack Size	Product Code
--------------	-------------	-----------	--------------



## KOOL-TEK HD-NOAT/P -PINK RTU

### The Ultimate Heavy-Duty Protection

Best suited for: Heavy-duty diesel trucks, buses & off-highway equipment.

KOOL-TEK HD NOAT RTU made with premium European additives, uses Nitrited Organic Acid Technology for robust heavy-duty engine protection. It resists corrosion, liner pitting, and scale, maintaining temperature stability in extreme conditions.

#### Do not dilute with water.

Premixed with deionised water – ready to fill.

#### BENEFITS:

- Ideal for trucks & heavy machinery.
- Protects up to 1,000,000 km or 12,000 hours.
- Test every 500,000 km or 6,000 hours.
- Anti-boil properties reduce steam damage.
- Stops hard-water scale build-up.
- Free from silicates, amines, phosphates, nitrates & borates.
- Compatible with modern silicone seals & hoses.
- Eliminates hard water scale.

5 L	KHDNOARTU-P0005
4 x 5 L	KHDNOARTU-P4005
20 L	KHDNOARTU-P0020
208 L	KHDNOARTU-P0208
1000 L	KHDNOARTU-P1000

#### EXCEEDS FOLLOWING INTERNATIONAL QUALITY STANDARDS

- BS 6580 [UK]
- SAE J 1034 [1]
- CUNA NC 956-16 [1]
- ASTM D4985
- ASTM D6210 AND 6211
- FVW Heft R 443 [D]
- JIS K 2234 [1] [J]
- UNE 26361-88
- NATO S 759
- AFNOR NF R15-601
- KSM 2142 [K]
- EMPA [CH]
- E/L 1415c [MIL ITALY]



## KOOL-TEK HD-NOAT/B -BLUE RTU

### The Ultimate Heavy-Duty Protection

Best suited for: Heavy-duty diesel trucks, buses & off-highway equipment.

KOOL-TEK HD NOAT RTU made with premium European additives, uses Nitrited Organic Acid Technology for robust heavy-duty engine protection. It resists corrosion, liner pitting, and scale, maintaining temperature stability in extreme conditions.

#### Do not dilute with water.

Premixed with deionised water – ready to fill.

#### BENEFITS:

- Ideal for trucks & heavy machinery.
- Protects up to 1,000,000 km or 12,000 hours.
- Test every 500,000 km or 6,000 hours.
- Anti-boil properties reduce steam damage.
- Stops hard-water scale build-up.
- Free from silicates, amines, phosphates, nitrates & borates.
- Compatible with modern silicone seals & hoses.
- Eliminates hard water scale.

5 L	KHDNOARTU-B0005
4 x 5 L	KHDNOARTU-B4005
20 L	KHDNOARTU-B0020
208 L	KHDNOARTU-B0208
1000 L	KHDNOARTU-B1000

#### EXCEEDS FOLLOWING INTERNATIONAL QUALITY STANDARDS

- BS 6580 [UK]
- SAE J 1034 [1]
- CUNA NC 956-16 [1]
- ASTM D4985
- ASTM D6210 AND 6211
- FVW Heft R 443 [D]
- JIS K 2234 [1] [J]
- UNE 26361-88
- NATO S 759
- AFNOR NF R15-601
- KSM 2142 [K]
- EMPA [CH]
- E/L 1415c [MIL ITALY]



## KOOL-TEK HD OAT

### RTU & CONCENTRATE

#### MEETS AND EXCEEDS FOLLOWING OEM SPECIFICATIONS

- DAF 74002
- Ford WSS-M97B44-D
- General Motors GM6277M
- MAN 324 SNF
- Mercedes Benz MB325.3
- Renault Trucks
- SEAT TL 774 D & F
- Skoda TL 774 D & F
- Volkswagen VAG TL 774 D & F
- Volvo VCS

# Anti-Freeze & Coolants

Product Name	Description	Pack Size	Product Code
--------------	-------------	-----------	--------------



## KOOL-TEK HD-NOAT/P -PINK CONCENTRATE

### The Ultimate Heavy-Duty Protection

Best suited for: Heavy-duty diesel trucks, buses & off-highway equipment.

KOOL-TEK HD NOAT CONCENTRATE made with premium European additives, uses Nitrited Organic Acid Technology for robust heavy-duty engine protection. It resists corrosion, liner pitting, and scale, maintaining temperature stability in extreme conditions.

#### Dilute with premium deionised water before use.

#### BENEFITS:

- Ideal for trucks & heavy machinery.
- Protects up to 1,000,000 km or 12,000 hours.
- Test every 500,000 km or 6,000 hours.
- Anti-boil properties reduce steam damage.
- Stops hard-water scale build-up.
- Free from silicates, amines, phosphates, nitrates & borates.
- Compatible with modern silicone seals & hoses.

5 L	KHDNOACON-P0005
4 x 5 L	KHDNOACON-P4005
20 L	KHDNOACON-P0020
208 L	KHDNOACON-P0208
1000 L	KHDNOACON-P1000

#### EXCEEDS FOLLOWING INTERNATIONAL QUALITY STANDARDS

- BS 6580 [UK]
- SAE J 1034 [1]
- CUNA NC 956-16 [1]
- ASTM D4985
- ASTM D6210 AND 6211
- FVW Heft R 443 [D]
- JIS K 2234 [1] [J]
- UNE 26361-88
- NATO S 759
- AFNOR NF R15-601
- KSM 2142 [K]
- EMPA [CH]
- E/L 1415c [MIL ITALY]



## KOOL-TEK HD-NOAT/B -BLUE CONCENTRATE

### The Ultimate Heavy-Duty Protection

Best suited for: Heavy-duty diesel trucks, buses & off-highway equipment.

KOOL-TEK HD NOAT CONCENTRATE made with premium European additives, uses Nitrited Organic Acid Technology for robust heavy-duty engine protection. It resists corrosion, liner pitting, and scale, maintaining temperature stability in extreme conditions.

#### Dilute with premium deionised water before use.

#### BENEFITS:

- Ideal for trucks & heavy machinery.
- Protects up to 1,000,000 km or 12,000 hours.
- Test every 500,000 km or 6,000 hours.
- Anti-boil properties reduce steam damage.
- Stops hard-water scale build-up.
- Free from silicates, amines, phosphates, nitrates & borates.
- Compatible with modern silicone seals & hoses.

5 L	KHDNOACON-B0005
4 x 5 L	KHDNOACON-B4005
20 L	KHDNOACON-B0020
208 L	KHDNOACON-B0208
1000 L	KHDNOACON-B1000

#### EXCEEDS FOLLOWING INTERNATIONAL QUALITY STANDARDS

- BS 6580 [UK]
- SAE J 1034 [1]
- CUNA NC 956-16 [1]
- ASTM D4985
- ASTM D6210 AND 6211
- FVW Heft R 443 [D]
- JIS K 2234 [1] [J]
- UNE 26361-88
- NATO S 759
- AFNOR NF R15-601
- KSM 2142 [K]
- EMPA [CH]
- E/L 1415c [MIL ITALY]



## KOOL-TEK HD NOAT

### RTU & CONCENTRATE

#### MEETS AND EXCEEDS FOLLOWING OEM SPECIFICATIONS

- CAT EC-1
- Navistar B1 Type II
- Cummins CES 14603
- John Deere HD4
- MAN 324
- Mercedes DBL 325
- Detroit Diesel / SE298
- Land Rover C.S.
- GM 1825/1899 H.T.
- New Holland WSN-M97B18-D
- Kenworth R 026-170-97
- Mack 14GS7009
- Freightliner 48-22880
- Paccar C.S.
- Peterbilt 8502.002
- IVECO 18-1830
- MTU 5048
- Volvo Saab Scania 6901

#### MAINTENANCE TIP

Regularly checking coolant levels can help prevent overheating and costly engine damage.

#### PRO TIP

Always allow the engine to cool before opening the radiator cap to avoid pressure-related coolant spray and potential injury.

# Degreasers



## Targeted Solutions for Tough Grease & Contamination

SA Polichem's Degreaser range is engineered to tackle heavy grease, oil, and industrial contamination across a variety of surfaces and applications. With water-based, solvent, and acid-based options, this range allows users to select the right solution for the task—ensuring effective cleaning without compromising safety or surface integrity.

### WATER-BASED DEGREASERS

Efficient, versatile, and suitable for a wide range of cleaning applications, Water-Based Degreasers are ideal for removing grease and grime from tools, machinery, floors, and equipment. These products offer effective cleaning while being easy to use and rinse, making them suitable for routine industrial cleaning tasks.

### SOLVENT DEGREASERS

Solvent Degreasers are designed for heavy-duty applications where water-based products may not be sufficient. Ideal for removing stubborn oils, grease, and residues from mechanical components and metal surfaces, this range delivers fast-acting cleaning in demanding industrial environments.

### ACID-BASED DEGREASERS

Acid-Based Degreasers are formulated for specialised cleaning tasks such as scale removal, mineral deposits, and heavy industrial build-up. Used correctly, these products deliver powerful cleaning results on suitable surfaces where alkaline cleaners are not effective.



# Water Based Degreasers

Product Name	Description	Pack Size	Product Code
--------------	-------------	-----------	--------------



Product Name	Description	Pack Size	Product Code	
<b>BIO-D EXTRA</b>	<b>Biodegradable Medium Duty Water Based Degreaser.</b> Alkaline water based degreaser which does not contain caustic soda, solvents and any harmful additives. It can be used on carpets, upholstery, overalls, courtyards, yellow machinery, engines, workshops and any oily applications. It can also be applied through high pressure cleaner or foaming equipment. It will not cause damage to rubber seals and should be diluted in most applications. When diluted it can be used on painted surfaces. It is bio-degradable, nontoxic environmentally friendly degreaser.	1 L	BIODRE0001	
		4 x 1 L	BIODEX40001	
		4 x ( 4 x 1 L )	BIODEX4X40001	
		12 x 1 L	BI012001.1	
		1 L Spray-PD	BIODEXS0001PD	
		12 x 1 L Spray-PD	BIODEX120001PD	
		5 L	BIOES005G	
		4 x 5 L	BIODEX40005	
		25 L	BIODEX0025	
		200 L	BIOES0200	
		1000 L	BDE01000	
		<b>DILUTIONS:</b>		
		LIGHT DUTY: 1:10		
MEDIUM DUTY: 1:5				
HEAVY DUTY: USE NEAT				



Product Name	Description	Pack Size	Product Code	
<b>BIO-D RAW</b>	<b>Heavy Duty Water Based Degreaser.</b> It is an ALKALINE water based degreaser which does not contain caustic soda, solvents and any harmful additives. It can be used on carpets, upholstery, overalls, courtyards, yellow machinery, engine, workshops and any oily applications. It can also be applied through high pressure cleaner or foaming. It will not cause damage to rubber seals and should be diluted in most applications. When diluted it can be used on painted surfaces.	1 L	BIODRX0001	
		4 x 1 L	BIODRX40001	
		4 x ( 4 x 1 L )	BIODRX4X40001	
		12 x 1 L	BIOR12001.1	
		1 L Spray-PD	BIODRXS0001PD	
		12 x 1 L Spray-PD	BIODRX120001PD	
		5 L	BDRX0005	
		4 x 5 L	BDRX40005	
		25 L	BIODR0025	
		200 L	BIODR0200	
		1000 L	BIOR1000	
		<b>DILUTIONS:</b>		
		LIGHT DUTY: 1:40		
MEDIUM DUTY: 1:20				
HEAVY DUTY: 1:4				



Product Name	Description	Pack Size	Product Code	
<b>MAXI-FORCE</b>	<b>High Alkaline General-Purpose Degreaser.</b> For hard grime. High alkaline water-based GP degreaser/cleaner for cleaning grime, oil, workshop floors, Petrol station forecourts, car engines and soiled tools. Can be used on painted surfaces. Lubricate for zero corrosion after rinsing any metal objects. Spray or brush on, leave to dwell and rinse off.	1 L	MAX0001	
		4 x 1 L	MAX40001	
		4 x ( 4 x 1 L )	MAX4X40001	
		12 x 1 L	MAX12001	
		1 L Spray-PD	MAXS0001PD	
		12 x 1 L Spray-PD	MAXS120001PD	
		5 L	MAX0005	
		4 x 5 L	MAX40005	
		25 L	MAX0025	
		200 L	MAX00200	
		1000 L	MAX01000	
		<b>DILUTIONS:</b>		
		LIGHT DUTY: 1:100		
MEDIUM DUTY: 1:20				
HEAVY DUTY: 1:10				

## WORKSHOP TIP

Applying water-based degreaser before pressure washing helps loosen oil and grease, reducing cleaning time

# Water Based Degreasers

Product Name	Description	Pack Size	Product Code
--------------	-------------	-----------	--------------



Product Name	Description	Pack Size	Product Code	
<b>FORCE</b>	<b>High Alkaline General Degreaser</b> For hard grime. High alkaline water-based GP degreaser/cleaner for cleaning grime, oil, workshop floors, Petrol station forecourts, car engines and soiled tools. Can be used on painted surfaces. Lubricate for zero corrosion after rinsing any metal objects.	1 L	INDFORCE0001	
		12 x 1 L	INDFORCE12001	
		5 L	INDFORCE0005	
		4 x 5 L	INDFORCE4005	
		20 L	INDFORCE0020	
		200 L	INDFORCE0200	
		1000 L	INDFORCE1000	
		<b>DILUTIONS:</b>		
		LIGHT DUTY: 1:30		
		MEDIUM DUTY: 1:5		
		HEAVY DUTY: USE NEAT		



Product Name	Description	Pack Size	Product Code	
<b>GREASOLVE</b>	<b>General Purpose Degreaser</b> Alkaline water-based degreaser, it does not contain caustic soda or any harmful additives, it contains blended solvents to dissolve stubborn oil & grease from most surfaces. This detergent can be used in many applications like kitchens, workshops and laundries on car or truck engines, on very soiled items as pre-wash in laundries. It can be applied through high-pressure cleaner or foaming equipment. It will not cause damage to rubber seals, it should be diluted in most applications. When diluted it can be used on painted surfaces. Greasolve contains no perfume therefore safe for use in the food industry.	1 L	GRSX0001	
		4 x 1 L	GRSX40001	
		4 x ( 4 x 1 L )	GRSX4X40001	
		12 x 1 L	GRSX12001	
		1 L Spray-PD	GRSXS0001PD	
		12 x 1 L Spray-PD	GRSX120001PD	
		5 L	GRSX0005	
		4 x 5 L	GRSX40005	
		25 L	GRSV0025	
		200 L	GRSV0200	
		1000 L	GRSX1000	
		<b>DILUTIONS:</b>		
		LIGHT DUTY: 1:100		
MEDIUM DUTY: 1:10				
HEAVY DUTY: USE NEAT				

## INDUSTRY INSIGHT

Water-based degreasers are ideal for routine cleaning of workshop floors, tools, and machinery where grease build-up occurs regularly.

# Solvent Based Degreasers

Product Name	Description	Pack Size	Product Code
--------------	-------------	-----------	--------------



Product Name	Description	Pack Size	Product Code
<b>PSD 500</b>	<b>Solvent Based Heavy Duty Degreaser</b> A clear well emulsified solvent-based degreaser used for heavy grease and oil cleaning applications. It contains various surfactants to allow deeper penetration into heavily soiled applications. It has a blend of solvents to dissolve stubborn oil, light and medium duty tar and grease from most surfaces. It is suitable for cleaning engine parts, chains, bearings, bitumen engines and is best if used in dip tank applications. All finished cleaning applications should be rinsed with water and left for a few minutes to dry. If cleaned and dried properly, there will be no oily residue left on any metal parts. Product is Flammable.	1 L	PSD50001
		4 x 1 L	PSD540001
		4 x ( 4 x 1 L )	PSD54X40001
		12 x 1 L	PSD50012001
		5 L	PSD50005
		4 x 5 L	PSD540005
		20 L	PSD50020
		200 L	PSD50200
1000 L	PSD5001000		
<b>DILUTIONS:</b>			
<b>ALL DUTIES:</b> USE NEAT			



Product Name	Description	Pack Size	Product Code
<b>PSD 1000</b>	<b>Heavy Duty Solvent Based Citrus Degreaser</b> A green well emulsified solvent based heavy duty degreaser used for heavy grease and oil cleaning applications. It contains various surfactants to allow deeper penetration into heavily soiled applications. Suitable for cleaning engine parts, chains, bearings, bitumen, fresh tar residue, engines and is best if used in dip tank applications. Has an optimum level of wetting agents to enable it to penetrate porous surfaces and be effective, yet still rinse off easily. Contains citrus additives, which provide low fumes and makes it much more friendly to work with. All finished cleaning applications should be rinsed with water and left to dry for few minutes. If cleaned and dried properly, there will be no oily residue left on any metal parts. Product is Flammable.	1 L	PSD0001
		4 x 1 L	PSD40001
		4 x ( 4 x 1 L )	PSD4X40001
		12 x 1 L	PSD12001
		5 L	PSD0005
		4 x 5 L	PSD40005
		25 L	PSD0025
		200 L	PSD0200
		1000 L	PSD01000
		<b>DILUTIONS:</b>	
<b>ALL DUTIES:</b> USE NEAT			



Product Name	Description	Pack Size	Product Code
<b>ELECTRICAL CLEANER</b>	<b>Solvent Based Electrical Cleaner Degreaser</b> Blend of high-quality hydrocarbons, precision contact cleaner which dissolves and flushes away contaminants from electronic/ electrical components. Degreases and evaporates rapidly and completely, leaving no residue. For use in industry, the office and home on computers, PC boards, relays, switches etc. It provides a convenient method of cleaning electronic and electrical equipment. Does not attack plastics, rubbers, paint, insulation, and metals. Non corrosive & Non conductive making it safe for use on electrical components without risking short circuits. Perfect for the applications where water can't be used.	1 L	ELEIND0001
		12 x 1 L	ELEIND12001
		5 L	ELEIND0005
		4 x 5 L	ELEIND40005
		20 L	ELEIND0020
		200 L	ELEIND0200
		1000 L	ELEIND1000
<b>DILUTIONS:</b>			
<b>ALL DUTIES:</b> USE NEAT, NOT WATER SOLUBLE			

**PRO TIP**  
Solvent degreasers work best on heavily contaminated metal components where oil and grease need to be dissolved quickly.

# Acid Based Degreasers

Product Name	Description	Pack Size	Product Code
--------------	-------------	-----------	--------------



Product Name	Description	Pack Size	Product Code
<b>PAD 500</b>	<b>Acid-Base Cleaning Agent</b> It is a powerful acidic cleaning agent and descaler for porous surfaces. It contains an effective blend of acids that can be used for the following applications: cleaning bricks, dry cement, grouting, concrete floors, concrete residues from steelwork, and cleaning cement-making equipment. Can also be used for cleaning ceramic toilet bowls, as a limescale remover and to deep clean showers and ablution blocks effectively removing body fats and stains from ceramic tiles and porous surfaces.	1 L	PAD5000001
		4 x 1 L	PAD50040001
		4 x (4x1L)	PAD5004X40001
		12 x 1 L	PAD50012001
		5 L	PAD50005
		4 x 5 L	PAD50040005
		25 L	PAD5000025
		200 L	PAD5000200
		1000 L	PAD51000
		<b>DILUTIONS:</b>	
<b>LIGHT DUTY:</b> 1:50			
<b>MEDIUM DUTY:</b> 1:10			
<b>HEAVY DUTY:</b> USE NEAT			



Product Name	Description	Pack Size	Product Code		
<b>PAD 750</b>	<b>Acid-Based Stainless Steel and Aluminium Cleaner</b> Is a powerful acidic cleaning agent for Stainless Steel and Aluminium. Specially formulated as a thin, clear solution to clean and brighten surfaces, leaving a high shine finish. It can be used on stainless steel tankers, engine blocks, fuel tanks, boilers and aluminium. Is also a powerful rust remover, which should be used in dip tank applications, undiluted. If not diluted properly, it can cause damage to metals and other surfaces.	1 L	PAD70001		
		4 x 1 L	PAD75040001		
		4 x ( 4 x 1 L )	PAD7504X40001		
		12 x 1 L	PAD712001		
		1 L Spray-PD	PAD750S0001PD		
		12 x 1 L Spray-PD	PAD750120001PD		
		5 Lt	PAD70005		
		4 x 5 L	PAD75040005		
		25 L	PAD7500025		
		200 L	PAD7500200		
		1000 L	PAD7501000		
		<b>DILUTIONS:</b>			
		<b>LIGHT DUTY:</b> 1:50			
		<b>MEDIUM DUTY:</b> 1:10			
		<b>HEAVY DUTY:</b> 1:1			
<b>FOR ALUMINIUM CLEANING:</b>					
<b>LIGHT DUTY:</b> 1:100					
<b>MEDIUM DUTY:</b> 1:50					

**MAINTENANCE TIP**  
Acid-based cleaners are effective for removing scale and mineral deposits that standard degreasers cannot break down.

# Hand Cleaners



## Effective Cleaning for Industrial Hands

Industrial work demands effective hand cleaning solutions. SA Polichem's Hand Cleaners are formulated to remove grease, oils, grime, and stubborn industrial soils while remaining suitable for frequent use.

Designed for workshops, factories, and industrial facilities, this range supports workplace hygiene by providing reliable cleaning without unnecessary harshness—helping protect both workers and equipment.



# Hand Cleaners

Product Name	Description	Pack Size	Product Code
--------------	-------------	-----------	--------------



## HAND PASTE BIO (ALMOND)

**Hand Cleaner with Silica Grit and Almond Fragrance**  
This hand cleaner is heavy-duty, waterless, and contains grit, a pleasant almond fragrance and lanolin skin conditioner. It contains powerful surfactants and silica grit to make this product a high-performance hand cleaner. This economical paste is suitable for use in the most challenging everyday cleaning applications. It dissolves grease, oils and most types of ink. This product is recommended for use in engineering workshops, mining industry, automotive industry and also household use.

**DILUTIONS:**  
**MEDIUM DUTY:** RUB FOR 5 SECONDS & RINSE.  
**HEAVY DUTY:** RUB FOR 10-15 SECONDS & RINSE.

500 g	HANROCK0700
2 x 12 x 500 g	HPBX2X120500
24 x 500 g	HPBX240500
1 Kg	HANPB0001
12 x 1 Kg	HANPB12001
5 Kg	HANPB0005
4 x 5 Kg	HPBX40005
25 Kg	HPBX0025
200 Kg	HANPB0201



## HAND CLEANER ORANGE

**Citrus Hand Cleaner with Polymer Beads**  
High-quality gel formula hand cleaner with Orange Oil and Polymer Beads to ensure that the product is ecological as well as an outstanding hand cleaner. It contains polymer beads to ensure that there is no blockage in the drain system. The natural oils dissolve stubborn grease, oils and most types of ink. It contains skin moisturisers to stop skin drying out after use. This product is recommended for use in engineering workshops, mining industry, automotive industry and also household use.

**DILUTIONS:**  
**LIGHT DUTY:** RUB FOR 5 SECONDS & RINSE  
**MEDIUM DUTY:** RUB FOR 10 SECONDS & RINSE  
**HEAVY DUTY:** RUB FOR 15 SECONDS & RINSE

500 mL	HCO00.5
24 x 500 mL	HCO24X500
2 x 12 x 500 mL	ORX2X120500
1 L	ORX0001
12 x 1 L	ORX12001
5 L	HCO005
4 x 5 L	HCO40005
25 L	HCG00025
200 L	HCO00200



## HAND CLEANER LEMON

**Hand Cleaner with Grit and Lemon Fragrance**  
Cleans and removes heavy soiling of grease, oil, ink and graphite, leaving behind a pleasant lemon fragrance. Contains skin moisturisers to prevent skin from drying out. With natural substances. Does not contain solvents, silicon or alkali.

**DILUTIONS:**  
RUB NEAT ONTO HANDS UNTIL SOILING IS DISSOLVED & RINSE

500 mL	HCL0500
24 x 500 mL	HCL240500
3.4 L	HCL003.4
6 x 3.4 L	HCL6003.4
PUMP	HCLP03.3
BRACKET	HCLB03.3
6 x Complete Unit	HCL6003.4PB
Complete Unit	HCLCU01

# Hand Cleaners

Product Name	Description	Pack Size	Product Code
--------------	-------------	-----------	--------------



## HAND CLEANER GEL

**Gel Hand Cleaner**  
Is a high-quality grit-free waterless hand cleaning gel, with natural oils to break down dirt and grime and ensure that the product is a top performing hand cleaner. Hand cleaner Gel can be used on more sensitive hands, but it will not cause blockage in any drainage system. This blend of active ingredients dissolves grease, oil, diesel, lubricants, and most types of ink. Hand cleaner Gel contains skin moisturisers to stop skin drying out after use. This product is recommended for use in engineering workshops, Printing Industry, mining industry, automotive industry, and household use.

**DILUTIONS:**  
**MEDIUM DUTY:** RUB FOR 5 SECONDS & RINSE  
**HEAVY DUTY:** RUB FOR 10-15 SECONDS & RINSE

500 mL	HCGX0500
24 x 500 mL	HCGX240500
1 L	HCGX0001
12 x 1 L	HCGX120001
5 L	HCGX0005
4 x 5 L	HCGX40005
25 L	HCGX0025
200 L	HCGX0200



## HAND GRIT PINK

**Hand Cleaner Grit**  
It contains powerful surfactants and silica grit that makes this product a cutting edge hand cleaner. It is economical and suitable to be used in the most difficult cleaning applications. It dissolves grease, oils and most types of ink. Hand Grit Pink contains skin moisturisers to prevent skin drying out after use. This product is recommended for use in engineering workshops, mining industries, automotive industries and even at home. Contains a subtle citrus fragrance.

**DILUTIONS:**  
**MEDIUM DUTY:** RUB FOR 5 SECONDS & RINSE  
**HEAVY DUTY:** RUB FOR 10-15 SECONDS & RINSE

500 g	HGPIND0500
24 x 500 g	HGPIND24X500
1 Kg	HGPIND0001
12 x 1 Kg	HGPIND12001
5 Kg	HGPIND0005
4 x 5 Kg	HGPIND40005
25 Kg	HGPIND0025
200 Kg	HGPIND200



## HAND GRIT POLY

**Poly Hand Cleaner Grit**  
This product contains effective cleaning surfactants and polymer beads that makes this product a top performing hand cleaner. It is economical and suitable to be used in the most difficult cleaning applications. It dissolves grease, oils and most types of ink. Hand Grit Poly contains skin moisturisers to prevent skin drying out after use. This product is recommended for use in engineering workshops and mining industries, automotive industries and even at home. Contains no fragrance.

**DILUTIONS:**  
**LIGHT DUTY:** RUB FOR 5 SECONDS & RINSE  
**MEDIUM DUTY:** RUB FOR 10 SECONDS & RINSE  
**HEAVY DUTY:** RUB FOR 15 SECONDS & RINSE

500 mL	HGPOLY0500
24 x 500 mL	HGPOLY24X500
1 L	HGPOLY0001
12 x 1 L	HGPOLY12001
5 L	HGPOLY0005
4 x 5 L	HGPOLY40005
25 L	HGPOLY0025

### WORKSHOP TIP

Using hand cleaners designed for industrial environments helps remove stubborn grease and oil more effectively than standard soaps.

### DID YOU KNOW?

Proper hand cleaning after mechanical work helps prevent the transfer of oil and grease to tools, equipment, and work surfaces.

# Powder Detergents



## Heavy-Duty Cleaning for Industrial Laundry & Hard Surfaces

The SA Polichem Powder Detergents range is designed for demanding industrial environments where effective cleaning of heavily soiled fabrics and surfaces is essential. From industrial laundry applications to workshop and facility cleaning, these formulations are developed to deliver powerful performance against grease, oil, and embedded dirt.

Engineered for use in industrial washing machines and on hard surfaces such as concrete and tiles, the range combines strong alkaline cleaning action with reliable results across a variety of applications. Whether cleaning workwear in mining and engineering environments or degreasing high-traffic areas, SA Polichem powder detergents provide practical, cost-effective solutions for heavy-duty cleaning requirements.

# Powder Detergents

Product Name	Description	Pack Size	Product Code
--------------	-------------	-----------	--------------



**NEW**

## OVERALL POWDER

**An alkaline low foam washing powder**  
For use in heavy, industrial laundries. This product contains a built-in degreaser to help with heavily soiled overalls in the engineering and mining industries. An active product with multiple surfactants and other imported raw materials to maintain a very high standard, making it a cost-effective product over a broad spectrum of laundry applications. Will dissolve on contact with warm water leaving no residue, it has the advantage that good results may be obtained in cold water but for better results, temperatures should be between 70°C and 80°C, to be used in industrial washing machines.

1 Kg	INDOVERP0001
12 x 1 Kg	INDOVERP12001
5 Kg	INDOVERP0005
4 x 5 Kg	INDOVERP4005
25 Kg	INDOVERP0025

**DILUTIONS:**  
**INDUSTRIAL LOAD:** 1% / 250 g per 25 kg load  
**HEAVY DUTY (ENGINEERING OR MINING):** 1% / 250 g per 25 kg load; use 1% of SA Polichem Industrial PSD-500 or Bio-D Raw for pre-wash treatment



**NEW**

## POWDER DEGREASER

**A heavy-duty alkaline degreasing powder.**  
For the cleaning and degreasing of heavily soiled concrete and hard tile floor surfaces.

5 Kg	INDPOWDEGRE0005
4 x 5 Kg	INDPOWDEGRE4005
25 Kg	INDPOWDEGRE0025

**APPLICATIONS:**  
Pre-Wet the floor.  
Sprinkle Powder Degreaser over the floor.  
Scrub with broom.  
Allow to dwell for 5 minutes.  
Rinse thoroughly with warm water.  
Powder degreaser may be dissolved in water at a rate of 1 kilogram per 50 liters of water – then apply to the floor.

**DILUTIONS:**  
**ALL DUTIES:** USE NEAT



**SAFETY TIP**  
Keeping hand cleaner stations easily accessible in workshops encourages better hygiene and safer working conditions.

# Car & Truck Care



## Professional Vehicle Cleaning & Maintenance

The Car & Truck Care range is designed to keep vehicles clean, protected, and operational in demanding industrial and fleet environments. From exterior cleaning to interior maintenance, these products help remove grime, road dirt, grease, and contaminants efficiently.

Ideal for workshops, transport depots, and fleet operations, this range supports routine vehicle maintenance while maintaining a professional appearance and protecting vehicle surfaces from long-term wear.



# Car & Truck Care

Product Name	Description	Pack Size	Product Code
--------------	-------------	-----------	--------------



<b>P-RF 1000</b>	<b>Heavy Duty Organic Acid-Based Radiator Flush.</b> Is a heavy-duty organic acid based superior radiator flush used to clean and unblock cooling systems. This easy-to-use specialised chemical formulation can be used in all types of radiators, and is also safe on aluminium, welding joints, all types of metal, plastic hoses and seals. P-RF 1000 will dissolve limescale, rust, oxidation and all types of blockages that shouldn't be there and contains top quality additives to reduce rust and corrosion. Using P-RF 1000 will prolong radiator's life span up to twice as long and save you unnecessary down time or expense. All radiators should be flushed once a year or with every service if ordinary tap water has been used. This product has been made from natural organic acid and therefore it is not a harmful risk to the environment.	1 L	PRF0001
		4 x 1 L	PRF40001
		4 x ( 4 x 1 L )	PRF4X40001
		12 x 1 L	PRF12001
		5 L	PRF0005
		4 x 5 L	PRF40005
		25 L	PRF0025
		200 L	PRF0200
		1000 L	PRF1000
		<b>DILUTIONS:</b> <b>ALL DUTIES: USE NEAT</b>	



<b>FLEET WASH</b>	<b>Concentrated Alkaline Water-based Exterior Truck Cleaner</b> The exterior truck cleaner is a highly concentrated alkaline water-based degreaser, it does not contain caustic soda or any harmful additives. It is a concentrated exterior truck wash shampoo, used for medium to heavy-duty washes. It has a built-in pine fragrance to ensure a pleasant, clean finish, as well as solvents and wetting and sequestering agents for optimum cleaning power. This product can also be applied through high-pressure cleaners or foaming equipment and will not cause damage to rubber seals. Fleet Wash contains built-in rinse aid to allow easy streak-free finishing. This product should be diluted in most applications. When diluted, it can be also used on painted surfaces. Rinse well after application. Can be used on all metallic paints, exterior bodywork, interiors, seats, chassis, engines, trailers, etc.	1 L	FLX0001
		4 x 1 L	FLX40001
		4 x ( 4 x 1 L )	FLX4X40001
		12 x 1 L	FLX120001
		1L Spray-PD	FLXS0001PD
		12 x 1 L Spray-PD	FLXS120001PD
		5 L	FLX0005
		4 x 5 L	FLX40005
		25 L	FLX0025
		200 L	FLX0200
1000 L	FLX1000		
<b>DILUTIONS:</b> <b>LIGHT DUTY: 1:100</b> <b>MEDIUM DUTY: 1:50</b> <b>HEAVY DUTY: 1:10</b>			



<b>FLEET WASH HD</b>	<b>Super Concentrated Alkaline Water-based Exterior Truck Cleaner</b> Does not contain caustic soda or any harmful additives. A superior concentrated exterior truck wash shampoo, used for very heavy duty washes. It has built-in pine fragrance to ensure a pleasant, clean finish, as well as solvents and wetting and sequestering agents for optimum cleaning power. This product can also be applied through high pressure cleaners or foaming equipment and will not cause damage to rubber seals. This product contains built-in rinse aid to allow easy streak-free finishing. This product should be diluted in most applications. When diluted, it can be also used on painted surfaces. Rinse well after application. Can be used on all metallic paints, exterior body work, interiors, seats, chassis, engines, trailers, etc.	1 L	FLXHD0001
		12 x 1 L	FLXHD120001
		5 L	FLXHD0005
		4 x 5 L	FLXHD40005
		25 L	FLXHD0025
		200 L	AUR
		1000 L	AUR
		<b>DILUTIONS:</b> <b>LIGHT DUTY: 1:300</b> <b>MEDIUM DUTY: 1:200</b> <b>HEAVY DUTY: 1:20</b>	

## VEHICLE CARE TIP

Regular washing of commercial vehicles helps remove road grime and contaminants that can damage paintwork over time.

# Car & Truck Care

Product Name	Description	Pack Size	Product Code
--------------	-------------	-----------	--------------



<b>CAR GLO</b>	<b>Concentrated Neutral Car Shampoo with Wax</b> Is a highly concentrated detergent — a superior car shampoo with high quality wax finish. It is perfect for all types of vehicles that enjoy high shine finish. Car Glo also contains sufficient surfactants to make all types of cleaning very easy. As a concentrate, Car Glo is also very cost effective. It contains water softeners, and therefore it can be used in hard and soft water applications. Can be applied through high pressure cleaners.	1 L	CARGIND0001
		4 x 1 L	CARGIND40001
		4 x ( 4 x 1 L )	CARGIND4x40001
		12 x 1 L	CARGIND120001
		5 L	CARGIND0005
		4 x 5 L	CARGIND40005
		25 L	CARGIND0025
		200 L	AUR
		1000 L	AUR
		<b>DILUTIONS:</b> <b>LIGHT DUTY: 1:100</b> <b>MEDIUM DUTY: 1:50</b>	



<b>NEUTRICAB</b>	<b>Concentrated Neutral Water Based Car Shampoo</b> Is a neutral water based viscous car shampoo which does not contain caustic soda or any harmful additives. Neutricab is a superior car wash shampoo, highly concentrated and used for light to medium duty washes. This product can also be applied through a high pressure cleaner or foaming equipment. This product contains a built-in rinse aid for an easy streak-free finish. Neutricab will not cause damage to rubber seals and should be diluted in most applications. When diluted, it can be also used on painted surfaces. Neutricab can be used on all metallic paints, outside body work, interiors and seats.	1 L	NEUIND0001FT
		4 x 1 L	NEUIND40001
		4 x ( 4 x 1 L )	NEUIND4x40001
		12 x 1 L	NEUIND12001FT
		5 L	NEUIND0005
		4 x 5 L	NEUIND40005
		25 L	NEUIND0025
		200 L	NEUIND0200
		1000 L	AUR
		<b>DILUTIONS:</b> <b>LIGHT DUTY: 1:100</b> <b>MEDIUM DUTY: 1:50</b>	



<b>DASH GLO</b>	<b>Water-based Acrylic Black Interior Restorer</b> Is a water based acrylic coating used as a high shine for all black car interior finishings. It should not be used on leather, windows or car seats. Dash Glo can be applied on all plastic and rubber finishing. Dash Glo contains a citrus fragrance, leaving a long lasting fresh smell in the car. Dash Glo neutralises cigarette and other odours in the car. Dash Glo can also be used on tyres to give a matt black original finish. Apply with clean sponge or cloth.	250 mL Mister	DGLOIND250M		
		8 x 250 mL Mister	DGLOIND8x250M		
		4 x 8 x 250 mL Mister	DGLOIND4x8x250M		
		24 x 250 mL	DGLOIND24x250M		
		1 L	DGLOIND0001FT		
		4 x 1 L	DGLOIND40001		
		4 x 4 x 1 L	DGLOIND4x40001		
		12 x 1 L	DGLOIND12001FT		
		5 L	DGLOIND0005		
		4 x 5 L	DGLOIND40005		
		25 L	DGLOIND0025		
		200 L	AUR		
		1000 L	AUR		
		<b>DILUTIONS:</b> <b>ALL DUTIES: USE NEAT</b>			

## DID YOU KNOW?

Cleaning engines and vehicle components makes it easier for technicians to detect leaks and maintenance issues.

# Car & Truck Care

Product Name	Description	Pack Size	Product Code
--------------	-------------	-----------	--------------



**TYRE DRESS** **Medium Duty Acrylic Tyre & Bumper Finish Restorer**  
 Is a medium duty acrylic coating used for applying to vehicle tyres. Tyre Dress is low shine product, which restores tyres and exterior black finishing to an original black colour. Tyre Dress has excellent wear resistance and is very easy to apply. Tyre Dress can be applied to all plastic black finishes on the vehicle; cars, buses, trucks, forklifts or other industrial machinery. Tyre Dress is a quick drying product which reduces the adherence of dust. Apply with a clean sponge or cloth.

**DILUTIONS:**  
**ALL DUTIES:** USE NEAT

250 mL Mister	TYREDIND250M
8 x 250 mL Mister	TYREDIND8x250M
4 x 8 x 250 mL Mister	TYREDIND4x8x250M
24 x 250 mL	TYREDIND24x250M
1 L	TYREDIND0001FT
4 x 1 L	TYREDIND40001
4 x 4 x 1 L	TYREDIND4x40001
12 x 1 L	TYREDIND12001FT
5 L	TYREDIND0005
4 x 5 L	TYREDIND40005
25 L	TYREDIND0025
200 L	TYREDIND0200
1000 L	AUR

**TAR REMOVER** **Heavy Duty Solvent Cleaner**  
 It is a highly efficient ready-to-use heavy duty solvent cleaner recommended for use in workshops, mining, construction & industry on tools, vehicles, equipment, and many other surfaces to remove tar, asphalt and adhesives. Tar Remover will emulsify oils and tars making them easy to rinse away. It is easy to apply and water rinseable. Tar Remover will not damage most masonry or concrete. Product is flammable.

**DILUTIONS:**  
**ALL DUTIES:** USE NEAT

250 mL	TARIND0250
8 x 250 mL Mister	TARIND8x250M
4 x 8 x 250 mL Mister	TARIND4x8x250M
24 x 250 mL	TARIND24x250
1 L	TARIND0001
4 x 1 L	TARIND40001
4 x 4 x 1 L	TARIND4x40001
12 x 1 L	TARIND12001
5 L	TARIND0005
4 x 5 L	TARIND40005
25 L	TARIND0025
200 L	AUR
1000 L	AUR

**SILICONE OP2** **Solvent-based High Shine Finish**  
 Is a solvent-based coating used as a high shine for all black car interior and exterior finishing's. It should not be used on leather, windows or car seats. Silicone OP2 can be used on the tyres, dash, outside and inside plastic and rubber trim and finishing's, it leaves a high shine finish. Apply with clean sponge or cloth.

**DILUTIONS:**  
**ALL DUTIES:** USE NEAT

250 mL Mister	SOP2IND250M
8 x 250 mL Mister	SOP2IND8x250M
4 x 8 x 250 mL Mister	SOP2IND4x8x250M
24 x 250 mL Mister	SOP2IND24x250M
1 L	SOP2IND0001
4 x 1 L	SOP2IND40001
4 x 4 x 1 L	SOP2IND4x40001
12 x 1 L	SOP2IND12001
5 L	SOP2IND0005
4 x 5 L	SOP2IND40005
25 L	SOP2IND0025
200 L	AUR
1000 L	AUR

## WORKSHOP TIP

Using a dedicated truck wash solution helps break down heavy road dirt and grease commonly found on fleet vehicles.

# Car & Truck Care

Product Name	Description	Pack Size	Product Code
--------------	-------------	-----------	--------------



**TYRE LUBE TRUCK**  
 This is a high foaming, water soluble lubricant for heavy duty trucking industry. It is safe to use on all rubber surfaces. Tyre Lube Truck is painted directly onto the surface of the tyre effectively aiding the mounting and demounting of tyres from the rims.

**DILUTIONS:**  
**ALL DUTIES:** USE NEAT

5 L	TLIND0005
4 x 5 L	TLIND40005
25 L	TLIND0025
200 L	TLIND0200
1000 L	AUR



**TYRE LUBE AUTOMOTIVE**  
 This is a high foaming, water soluble lubricant for medium duty automotive industry. It is safe to use on all rubber surfaces. Tyre Lube Automotive is painted directly onto the surface of the tyre effectively aiding the mounting and demounting of tyres from the rims.

**DILUTIONS:**  
**ALL DUTIES:** USE NEAT

1 L	INDAUTTL0001
12 x 1 L	INDAUTTL12001
5 L	INDAUTTL0005
4 x 5 L	INDAUTTL40005
25 L	INDAUTTL0025
200 L	INDAUTTL0200
1000 L	AUR



## INDUSTRY INSIGHT

Routine fleet cleaning not only protects vehicles but also helps maintain a professional company image on the road.

## WHY CHOOSE SA POLICHEM

### Trusted Chemical Solutions for Industry

SA Polichem is a South African manufacturer and supplier of professional chemical solutions designed to meet the demands of industrial environments. Our products are developed with a strong focus on performance, reliability, and practical application across workshops, manufacturing facilities, transport fleets, and maintenance operations.

Through continuous product development and strict quality control processes, SA Polichem delivers dependable solutions that help businesses maintain efficient operations while protecting equipment and supporting workplace hygiene.

### ISO 9001:2015 Certified Manufacturing

SA Polichem operates under an ISO 9001:2015 Quality Management System, ensuring consistent manufacturing standards, controlled processes, and reliable product quality.

### Consistent Quality & Product Performance

Every formulation is developed to deliver reliable cleaning, maintenance, and protection performance across a wide range of industrial applications.

### Solutions Designed for Industrial Environments

Our products are engineered to perform in demanding working environments where grease, contamination, and heavy-duty cleaning are part of daily operations.

### Nationwide Distribution

SA Polichem products are supplied across South Africa, ensuring consistent product availability and reliable supply to businesses and distributors.

### Technical Product Expertise

Our team provides industry knowledge and product guidance to help customers select the right chemical solutions for their operational requirements.



## INDUSTRIES WE SERVE

### Chemical Solutions Supporting a Wide Range of Industrial Applications

SA Polichem products are developed to perform in demanding working environments where effective cleaning, maintenance, and equipment protection are essential. Our industrial range supports businesses across multiple sectors, helping maintain operational efficiency, workplace safety, and reliable equipment performance.

From workshops and fleet maintenance facilities to manufacturing plants and heavy industry, SA Polichem solutions are trusted by professionals who rely on consistent results every day.

### Automotive Workshops

Professional cleaning and maintenance solutions for engines, vehicle components, workshop floors, and mechanical equipment.

### Transport & Fleet Maintenance

Heavy-duty cleaning products designed for trucks, trailers, buses, and commercial fleets where regular vehicle maintenance is essential.

### Manufacturing Facilities

Industrial degreasers and maintenance chemicals used to clean machinery, production equipment, and factory environments.

### Engineering & Fabrication

Effective cleaning solutions for removing oil, grease, and industrial contamination from tools, equipment, and metal components.

### Mining & Heavy Industry

Products developed to perform in demanding environments where heavy contamination and industrial cleaning are routine.

### Agriculture & Equipment Maintenance

Cleaning and maintenance solutions for agricultural machinery, equipment servicing, and workshop environments..



**SA Polichem – Supporting industries with reliable chemical solutions designed for real working environments**



171 Mandume Ndemufayo Avenue,  
Southern Industrial Windhoek



061 299 5000  
264 85 122 8884



[chemicals@ppnam.com](mailto:chemicals@ppnam.com)



**PLASTIC  
PACKAGING**

(PTY) LTD

WE MANUFACTURE.  
WE RECYCLE.



OFFICIAL DISTRIBUTOR FOR

**POLICHEM**

KHOMAS, WINDHOEK

**Delivering Solutions**